

2 Application #10/658,210 Group Art Unit 3636

IN THE CLAIMS

Please amend the Claims as follows:

1. (currently amended) A sanitary cover for a child seat on a shopping type cart which cover provides complete coverage of all parts of the cart which could be contacted by the child in the seat, the cover comprising:

a planar sheet of sandwiched fabric having interior padding for comfort, the sheet having a center bottom seat portion ~~capable of~~ adapted for completely covering a bottom of a shopping type cart child seat, a front cart handle overlap portion extending from the bottom seat portion, the handle overlap portion ~~capable of~~ adapted for folding over a handle of a shopping type cart and completely covering the handle and a front portion of the cart child seat, the handle overlap portion having a pair of leg openings aligned with a pair of leg openings of the front portion of the cart child seat to admit the legs of the child therethrough, the handle overlap portion having an adjustable attaching means for securing an end of the handle overlap portion to an interior of the handle overlap portion, two side cart overlap portions extending from the bottom seat portion, each of the side cart overlap portions ~~capable of~~ adapted for overlapping and completely covering all areas of a side portion of the cart child seat capable of being touched by a child in the cart seat, each of the side cart overlap portions having a flexible means for attaching an end of the side cart overlap portion to an interior of the side overlap portion, a cart child seat back overlap portion extending from the bottom seat portion, the back overlap portion ~~capable of~~ adapted for folding over and completely covering a back rest portion of the cart child seat, the back overlap portion having a seat belt ~~which attaches permanently attached~~ attached in two interconnectable parts to an end of the back overlap portion extending

3 Application #10/658,210 Group Art Unit 3636

from the end and a pair of seat belt receiving openings through the back overlap portion in alignment with a waist area of a child in the child seat, the end of the back overlap portion extending down a back of the child seat so that the end of the back overlap portion aligns with the pair of seat belt receiving openings, the two portions of the seat belt each ~~capable of~~ adapted for running through an open area of the shopping cart seat back and through one of the seat belt receiving openings in the back support portion of the cover and the two portions of the seat belt adapted to be interconnected ~~interconnecting~~ by a buckle means around the child to hold the child in the cart child seat and retain the back overlap portion secured to a back of the cart child seat for holding the back overlap portion in place so that the seat belt secures the back overlap portion of the cover and the child to the seat in the shopping cart.

2. (original): The cover of claim 1 wherein the handle overlap portion further comprises a means for attaching playthings to the handle overlap portion to prevent the playthings from dropping.

3. (currently amended) The cover of claim 1 wherein the adjustable means for the handle overlap portion comprises a first series of elongated strips of one half of a mating hook and loop fastener means attached to an underside of the cover adjacent to an outer edge of the handle overlap portion with the strips parallel to the edge and a second series of the other mating half of the mating hook and loop fastener means attached to the underside of the cover perpendicular to the edge on an interior of the handle overlap

4 Application #10/658,210 Group Art Unit 3636

portion, the edge strips ~~capable of~~ adapted for connecting to the interior strips at any point along the length of the interior strips to adjust to various sizes of carts.

4. (currently amended) The cover of claim 1 wherein the flexible means for attaching an end of the side cart overlap portion to an interior of the side overlap portion comprises a button means attached to an outer edge of each of the side overlap portions on a front side of the cover and an elasticized loop attached to a back side of the cover on an interior of the side overlap portion spaced from the outer edge so that with the side overlap portion overlapping the side of the cart, the loop is ~~capable of~~ adapted for engaging the button means to secure the side overlap portion in place.

5. (original): The cover of claim 1 wherein each of the side overlap portions further comprises a pocket for storage on the front of the cover.